

## RUSTICATED PROFILE QUANTIFYING GUIDE

### Palliside Rusticated Weatherboards

Palliside Weatherboards are available in two profiles, Rusticated or Traditional Bevel-Back, and are pre-finished in a range of colour options, White, Calico, Tea, Riverstone, Slate and Sandstone.

This guide is for the rusticated Palliside profile, which is available in a smooth or woodgrain finish.


Palliside rusticated profile has a comprehensive range of accessories, providing a choice of finishes for corners and joins and under windows. Any gaps are neatly capped with end plugs, shutting out the weather, dirt and any potential homes for spiders and insects.

### Important

DO NOT use Gib Clouts for nailing. Palliside nails, which have a smaller head, are recommended. Please confirm other types of nail or fixing with Dynex to ensure your guarantee will remain valid.

Non-absorbent building wraps that do not contain an absorbency rating of 100g/m<sup>2</sup> are not suitable for use with Palliside. As a result some synthetic Wraps can not be used with Palliside Weatherboards.

**PALLISIDE HOUSE:** please refer to this diagram when quantifying Palliside:



## RUSTICATED PROFILE QUANTIFYING GUIDE

**Please read the Palliside Technical guide, appropriate Palliside Direct Fix or Drained Cavity Installation Guide.**

### Disclaimer

The following quantifying information has been created to be used as a guide only. Dynex Extrusions Limited accepts no responsibility for misinterpretation of the descriptions or for calculations. Should you require further information or assistance please contact your building merchant or contact Dynex direct on 08004DYNEX – (0800 439 639).

### 1.0 WEATHERBOARDS

Palliside Rusticated profiles are available in smooth or woodgrain finish, both in 6 colours. Each Weatherboard is 6.3m long with a nominal cover width of 260mm. Each weatherboard provides a total coverage of 1.638m<sup>2</sup> per board.

Calculate the total wall area (in square metres i.e. height x length for each wall) then add total of each wall together.

N.B. When calculating the area of each wall, round the wall height (in metres) up to the nearest increment of 260mm, e.g. if the wall height is 2.4m, then round the wall height to 10 courses high x 0.26 = 2.6m, then subtract the total area (in square metres) of the windows and doors. Divide this figure by 1.638 to give the number of weatherboards required. Allow 5% - 10% for wastage.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
PALLISIDE RUSTICATED SMOOTH WEATHERBOARDS 6.3m		FC6.3				

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
PALLISIDE RUSTICATED WOODGRAIN WEATHERBOARDS 6.3m		FCEMB6.3				

Each Weatherboard is 8m long with a nominal cover width of 260mm, which provides a total coverage of 2.08m<sup>2</sup> per board.

Made to Order - Minimum Order Quantity applies

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
PALLISIDE WEATHERBOARDS 8.0m		FC ... 8m				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 2.0 STARTING OPTIONS

#### 2.1 Starting Strip

Starter strip is used when starting with a full board only. Fixed at maximum 300mm centres, this accessory is fixed in place prior to weatherboard installation. Available in 3.6m lengths.

Calculate the base length (in metres) where a full weatherboard will be used to start. Divide figure by 3.6m to give the total number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
STARTER STRIP 3.6m		MVSWHT3.6	WHITE ONLY			

#### 2.2 Cavity Vermin Tray

Cavity closers are only required when using Palliside over a drained cavity. The Cavity Vermin Tray clips in to the Palliside starter strip at a concrete sub floor. The 20mm cavity closer is an alternative cavity closer with working with a timber sub floor.

Use the calculation of the Starter Strip to determine the number of Vermin Tray required. Calculate the base length (in metres) and divide by 3.0m to give the total number of 20mm cavity closer required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
CAVITY VERMIN TRAY 3.6m Drained Cavity only		MVCVT3.6	WHITE ONLY			
20mm CAVITY CLOSER 3.0m Drained Cavity only		CAVT020WHT3	WHITE ONLY			

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 2.3 2-part Channel Trim.

2-Part channel trim can be used as an alternative for tight fitting areas such as Dutch Gables, around dormer windows and tight rakes between two roof lines. It is also useful as a finishing mould on gable ends. Available in 3.6m lengths and in the matching Palliside colours.

Calculate the length/height (in metres) of any areas that meet the above criteria. Divide the total (metres) by 3.6 to give the number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
2-PART CHANNEL 3.6m		MV2CH3.6				

### 2.4 One Part Channel Trim

Channel trim (J Mould) can be used as a horizontal starting trim for a cut weatherboard. This Trim is also ideal for starting on a split level, along rakes and on upper storeys. Channel Trim can also be used as a vertical trim for finishing or butting into other claddings. Available in 3.6m lengths in the matching Palliside colours.

Take the total height in (in metres) of all vertical trims and add to the length (in metres) for the desired starting option and divide by 3.6m to give the total number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
ONE PART CHANNEL TRIM 3.6m		MVCH3.6				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 3.0 JOINTING OPTIONS

#### 3.1 Flat Soaker

Moulded Flat Soakers are the most popular option for joining the Weatherboards. Installed after cladding is complete, the flat soaker matches the profile of the weatherboards. The jointers are fixed using Solvent cement (or MS Sealant). These joints can be fixed off stud if staggered. (NB There is no back piece for this accessory)

Allow one Flat Soaker per join for each course of weatherboards e.g. for a 14m run of weatherboards that is 2.4m high, Flat Soakers should be calculated as follows: 2 soakers per 14m (standard board length 5.8m) x 10 courses of board. (10 Courses x .0260m = 2.6 = 20 Flat Soakers).

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
MOULDED FLAT SOAKER RUSTICATED		MVSF				

#### 3.2 2-Part Jointer

This option is used on stud when a straight line join is preferred. The Straight-line can sometimes be disguised by downpipes and is available in 2.7m lengths and in the matching Palliside colours. The base piece is installed on stud prior to weatherboard installation and the cap piece applied once cladding is complete. Moulded End Plugs are required to finish.

Add the total height of the joins and divide by 2.7m. For heights greater than 2.7m, 2 lengths can be used.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
2-PART JOINTER 2.7M		MVJ2.7				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 4.0 CORNER OPTIONS

#### Moulded Soakers

This option is the most popular for 90° External Corners. Starting with a specially designed base, which is applied prior to the weatherboard installation, the individual soakers are simply clipped in place after the weatherboards are installed for a clean, aesthetically pleasing corner finish.

#### 4.1 Corner Soaker Base

Available in 2.7m lengths, the Corner Soaker base is unseen after installation. The Corner base is suitable for use with all Palliside profiles and lengths can be joined for higher corners.

Calculate the total height of the external corners (in metres) and divide by 2.7 to give the total lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
CORNER SOAKER BASE 2.7m		MVCB2.7	WHITE ONLY			

#### 4.12 Moulded Corner Soaker

Like the Weatherboards, the Palliside Moulded Corner Soakers are a double profile (260mm high) and are available to match the rusticated profile and Palliside colours.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
CORNER SOAKER RUSTICATED		MVSC				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 4.2 Internal Corner

Internal corners are finished with a 2-part corner (MVIB base and MVIC cap), utilising moulded end plugs. The two part base and cap finish has a white coloured base piece (MVIB) which is not visible and cap in Palliside colours (MVIC) and available in 3.0m lengths.

Calculate the total height of the Internal Corners divide by 3.0m for the total number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
INTERNAL CORNER BASE 3m		MVIBWHT3	WHITE ONLY			
INTERNAL CORNER CAP 3m		MVIC3				

### 4.3 Boxed 90° Corner

This is a 2-Part 90° External Corner option where the boxed look is preferred. The base is installed prior to weatherboard installation with the cap piece being installed after the weatherboards. Available in 3.6m lengths and the matching Palliside colours. (NB this option is only used as external corner).

Calculate the height of the External Corners and divide by 3.6m.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
CORNER 90° BOXED EXTERNAL 2-PART 3.6m  External use only		MVIE3.6				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 4.4 135° / 45° Corner

This is a 2-Part reversible option for use at 135/45° Internal and External Corners. This option comes in a 2.7m length and in the matching Palliside colours. The base piece is installed prior to the weatherboards with the cap piece applied after.

Calculate the total height of the 135° or 45° Corner and divide by 2.7m


DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
CORNER 135° BOXED INT / EXT 2-PART 2.7 m		MV1352.7				

## 5.0 WINDOW TRIMS

### 5.1 2-Part Head Flashing

This is a 2-Part Head Flashing Option, for use above window/door joinery and comes in a 3.6m length, and is formed by a PVC Base and an Aluminium Cap.

Calculate the total width of all joinery allowing an extra 100mm per window/door opening. Divide the total by 3.6m to get the total number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
2-PART PVC Z-FLASHING BASE 3.8m		MV2Z3.8B				
2-PART PVC Z-FLASHING ALUMINIUM CAP 3.8m		MV2ZAL3.8				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 5.2 Cavity Closer

This specific Palliside head flashing cavity closer is installed directly onto the building wrap allowing the Palliside two-part Head Flashing to be fitted in front of the cavity batten.

Note: This cavity closer is not used when using a 'standard' one-part head flashing supplied by other.


Always allow 10% more lineal metres than your Head Flashings ie: take the total lineal metres of Head Flashing, add 10% then divide this figure by 3m.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
<p>WINDOW HEAD CLOSER WHITE 3m</p> <p>Drained Cavity &amp; using Palliside two-part head flashing only</p>		61545WHT3	WHITE ONLY			

### 5.3 Under Window Finishing

The window base scriber is available to close gaps below joinery greater than 5mm on drained cavity installation.

It is difficult to calculate the necessary quantity required as this can differ depending on varying joinery heights in relation to board profile. As a guide allow approximately 50% of the number of Window Cavity Base Flashing as you would Palliside Head Flashing. NB: This accessory is only available in White, but is generally not visible once installed.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
<p>WINDOW BASE SCRIBER WHITE 3.6m</p> <p>Drained Cavity only</p>		MVWCBFWHT3.6	WHITE ONLY			

## RUSTICATED PROFILE QUANTIFYING GUIDE

### Window Jamb & Scribes

The Window Jamb Flashing Base and Scribes are designed for use with 5mm offset windows required for Direct Fix Applications. If installing over a Drained Cavity and this finishing is preferred, a 5mm offset must be allowed for.

#### 5.4 Jamb Flashing Base

Available in 3.6m lengths, the Jamb Flashing Base can be used with any board profile. Supplied in white only as is not visible after installation is complete.

Take the total height of the openings and multiply by 2 for both sides of the openings. Divide this figure by 3.6 to determine the number of Jamb Flashing Bases required. Allow for some wastage as a new length of Jamb Flashing Base may be preferred over several joined pieces.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
JAMB FLASHING BASE 3.6m		MVWJFB3.6	WHITE ONLY			

#### 5.5 Window Scribes

For finishing around windows, scribe caps are available for use with the rusticated profiles and come in 3.6m lengths.

Use the figure for the Jamb Flashing base above to determine the number of Scribe Caps required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
SCRIBER CAP RUSTICATED 3.6m		MWWSRC3.6				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 6.0 WINDOW ACCESSORIES

#### 6.1 End Plugs

End Plugs are installed into the sides of Boxed and Internal Corners, Vertical Trims Two-Part Jointers and down the Windows/Door Jamb where scribe caps are used, eliminating shadows and gaps. End Plugs are required per single profile (eg 2 per weather-board) and are available in the matching colour. The End Plugs are fixed in place using Solvent Cement or MS Sealant.

Take the total height (in metres) of all joinery, Boxed Corners, Internal Corners, 135/45° Corners and Two-Part Jointers and multiply by 2 (to allow for both sides). Add total height of vertical trims and divide by 0.130 to give total number of End Plugs.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
END PLUG RUSTICATED (100 PER BAG)		MVEP				

#### 6.2 Foam Soffit Mould

Available in 3.6m lengths, the Foam Soffit Mould (40 x 18mm Cornice) provides a clean finish at the Soffit line.

Calculate the total length (in metres) of the soffit line and divide by 3.6 to give the total number of lengths required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
FOAM SOFFIT MOULD 3.6M		FMBC8.3.6				

Two-Part Channel Trim can also be used as a soffit trim, particularly on Gable Ends (refer to 2.3).

Calculate the total length (in metres) of the soffit line and divide by 3.6 to give the total number of lengths required.

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 7.0 NAILS, FASTENERS, SOLVENT & SEALANT

#### 7.1 Palliside Nails

Dynex recommend the use of the Palliside nails as they are specifically designed for Palliside with a smaller head than standard 40 x 2.5mm flat head nails. This ensures ease of installation as the nail head fits nicely into the weatherboard nailing groove.

As a guide allow one 5kg Box of nails for every 120 weatherboards (and accessories).

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
PALLISIDE NAILS 5kg BOX		PSIDENAILS				

#### 7.2 Fastfix Fasteners

Fastfix Fasteners (Xmas Tree Fasteners) are used to hold the weatherboards in place above head flashings over joinery. Available in the matching Palliside colours and sold in packs of 50 (NB 6mm Drill Bit is required).

Allow 1 bag of Fastfix Fasteners for every 100 Weatherboards or as required.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
FASTFIX FASTENERS (50 PER PACK)		PSF.12				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### 7.3 Solvent Cement

Available to match the Palliside colours, Solvent Cement is used to adhere End Plugs and Flat Soakers in place. Solvent must only be used on one side of the Flat Soaker. (NB The price for the coloured Solvent Cement is higher than the White.

As a guide allow one Solvent Cement for every 150 Traditional End Plugs, 250 Rusticated End Plugs or 50 Flat Soakers.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
SOLVENT CEMENT 180g TUBE		MCS				

### 7.4 Ms Sealant

Available to match the Palliside colours, the MS Sealant can be used as a general sealant and can be used in place of Solvent Cement to fix End Plugs and flat soakers in place. White MS Sealants can be sourced from your local Hardware store.

DESCRIPTION	PRODUCT	CODE	COLOUR	QUANTITY REQUIRED	UNIT PRICE	TOTAL PRICE
MS SEALANT 375ml CANNISTER		MCMSS				

## RUSTICATED PROFILE QUANTIFYING GUIDE

### SUMMARY

Insert the total quantities from sections 1-8 into the table below

Customer: \_\_\_\_\_  
Order Number: \_\_\_\_\_  
Del Address: \_\_\_\_\_  
Date: \_\_\_\_\_

**Installation** (please tick)

DRAINED CAVITY	DIRECT FIX

**Colours** (please tick colour required)

WHITE	CALICO	TEA	RIVERSTONE	SLATE	SANDSTONE

**Palliside Rusticated Weatherboards** (please tick type required)

FC ... RUSTICATED SMOOTH	FCEMB ... RUSTICATED WOODGRAIN
	

### 1.0 Palliside Weatherboards

	PRODUCT CODE	DESCRIPTION	QUANTITY
	FC ... 6.3	PALLISIDE .... 6.3m	
	FC ... 8	PALLISIDE .... 8m <i>MTO Minimum Order Quantity applies</i>	

### 2.0 Starting Options - Palliside Accessories

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
2.1		MVSWHT3.6	STARTER STRIP WHITE 3.6m	
2.2		MVCVT3.6	CAVITY VERMIN TRAY 3.6m	
		CAVT020WHT3	20mm CAVITY CLOSER 3.0m	
2.3		MV2CH3.6	2-PART CHANNEL 3.6m	
2.4		MVCH3.6	ONE PART CHANNEL TRIM 3.6m	

### 3.0 Jointing Options

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
3.1		MVSF	FLAT SOAKER RUSTICATED	
3.2		MVJ2.7	2-PART JOINTER 2.7m	

## RUSTICATED PROFILE QUANTIFYING GUIDE

### SUMMARY

#### 4.0 Corner Options

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
4.2		MVCB2.7	CORNER SOAKER BASE 2.7m	
4.12		MVSC	CORNER SOAKER RUSTICATED	
4.2		MVIBWHT3	INTERNAL CORNER BASE 3m	
		MVIC3	INTERNAL CORNER CAP 3m	
4.3		MVIE3.6	CORNER 90' BOXED EXT 2-PART 3.6m	
4.4		MV1352.7	CORNER 135' BOXED INT/EXT 2-PART 2.7m	

#### 5.0 Window Trims

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
5.1		MV2Z3.8B	2-PART PVC Z-FLASHING BASE 3.8m	
		MV2ZAL3.8	2-PART Z-FLASHING ALUMINIUM CAP 3.8m	
5.2		61545WHT3	PALLISIDE WINDOW HEAD CLOSER	
5.3		MVWCBFWHT3.6	WINDOW BASE SCRIBER WHT 3.6M	
5.4		MVWJFB3.6	WINDOW JAMB FLASHING BASE 3.6m	
5.5		MVWSCR3.6	WINDOW SCRIBER CAP RUSTICATED 3.6m	

#### 6.0 Window Accessories

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
6.1		MVEP	END PLUG RUSTICATED	
6.2		FMBC8.3.6	FOAM SOFFIT MOULD (40 x 18) 3.6m	

#### 7.0 Nails, Fasteners, Solvent & Sealant

	IMAGE	PRODUCT CODE	DESCRIPTION	QUANTITY
7.1		PSIDENAILS	PALLISIDE NAILS 5kg H/PAK	
7.2		PSF.12 A	FASTFIX FASTENERS (Pack 50)	
7.3		MCS	SOLVENT CEMENT	
7.4		MCMS	MS SEALANT (not available in White)	